

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

1 Identification

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

Other Means of Identification: Mixture

APVMA Number: 81811

Recommended Use of the Chemical and Restriction on Use: Agricultural herbicide

Details of Manufacturer or Importer:

Nutrien Ag Solutions
Level 5, Building A, 26 Talavera Road,
Macquarie Park
NSW 2113

Phone Number: 02 9889 5400

Emergency telephone number: 1800 44 88 92

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)



health hazard

Toxic To Reproduction 1B

H360 May damage fertility or the unborn child.



environment

Aquatic Acute 1

H400 Very toxic to aquatic life.

Aquatic Chronic 1

H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4

H302 Harmful if swallowed.

Skin Corrosion/Irritation 2

H315 Causes skin irritation.

Serious Eye Damage/Irritation 2A

H319 Causes serious eye irritation.

Flammable Liquids 4

H227 Combustible liquid.

Signal Word Danger

Hazard Statements

H227 Combustible liquid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 1)

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from flames and hot surfaces. No smoking.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Hazardous Components:**

Hazardous Components:		
CAS: 29450-45-1	MCPA, 2- ethylhexyl ester ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Dermal) 4, H312; Serious Eye Damage/Irritation 2A, H319	25%
CAS: 872-50-4	N-methyl-2-pyrrolidone ⚠ Toxic To Reproduction 1B, H360; ⚠ Skin Corrosion/Irritation 2, H315; Serious Eye Damage/Irritation 2A, H319; STOT SE 3, H335; Flammable Liquids 4, H227	15%
CAS: 83164-33-4	Diflufenican Aquatic Chronic 3, H412	2.5%

Additional information:

Liquid Hydrocarbon Solvent, CAS No. not supplied: 32.5%

Non hazardous emulsifiers, CAS No. not supplied: 10.5%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 2)

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek immediate medical attention.

Ingestion:

If swallowed, do not induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation, itchiness and reddening.

Eye Contact: Causes serious eye irritation, stinging and reddening. Prolonged exposure or delayed treatment may cause permanent eye damage.

Ingestion: Harmful if swallowed. May cause irritation, reddening and burning sensation to mouth and throat.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog, foam, dry chemical or carbon dioxide.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon, nitrogen, oxides of nitrogen, other nitrogen compounds, hydrogen cyanide, oxides of phosphorous, other phosphorous compounds, hydrogen fluoride, other fluorine compounds and smoke.

Product is combustible.

Closed containers may explode when exposed to extreme heat. Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

Prevent run-off from fire fighting entering drains or water courses.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation. Extinguish all sources of ignition. Avoid sparks and open flames. No smoking.

Environmental Precautions: In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. If absorbent material is not available or spill is too large, create a dike to stop spill from spreading. Collect the spilled material and place into a suitable container for disposal.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 3)

7 Handling and Storage

Precautions for Safe Handling:

Obtain special instructions before use. Do not handle until all safety precautions are read and understood. Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet.

Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container, tightly closed when not in use. Protect from heat, sparks, open flames, hot surfaces and direct sunlight. Keep away from strong oxidising agents, strong acids and strong bases. Store locked up.

8 Exposure Controls and Personal Protection

Exposure Standards:**CAS: 872-50-4 N-methyl-2-pyrrolidone**

NES	STEL: 309 mg/m ³ , 75 ppm TWA: 103 mg/m ³ , 25 ppm Sk
-----	---

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapour below occupational exposure standards.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC or rubber gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Liquid
Colour:	Dark brown
Odour:	Ester-like

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 4)

Odour Threshold:	No information available
pH-Value:	No information available
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	176-200 °C
Flash Point:	>66 °C
Flammability:	Product is a combustible liquid.
Auto-ignition Temperature:	321 °C (hydrocarbon solvent)
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	0.8 Vol %
Upper:	6.7 Vol %
Vapour Pressure:	No information available
Relative Density at 20 °C:	0.995
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Emulsifies into water.
Viscosity:	No information available

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur. May produce an exothermic reaction in contact with strong acids or bases.

Chemical Stability: Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Heat, sparks, open flames, hot surfaces and direct sunlight.

Incompatible Materials: Strong oxidising agents, strong acids and strong bases.

Hazardous Decomposition Products:

Oxides of carbon, nitrogen, oxides of nitrogen, other nitrogen compounds, hydrogen cyanide, oxides of phosphorous, other phosphorous compounds, hydrogen fluoride, other fluorine compounds and smoke.

11 Toxicological Information

Toxicity:

LD50/LC50 Values Relevant for Classification:		
CAS: 872-50-4 N-methyl-2-pyrrolidone		
Oral	LD50	3,914 mg/kg (rat)
Dermal	LD50	8,000 mg/kg (rabbit)
CAS: 29450-45-1 MCPA, 2- ethylhexyl ester		
Oral	LD50	550-800 mg/kg (mouse) 700-1,160 mg/kg (rat)
Dermal	LD50	>1,000 mg/kg (rat) >4,000 mg/kg (rabbit)
CAS: 83164-33-4 Diflufenican		
Oral	LD50	>1,000 mg/kg (mice) >2,000 mg/kg (rat)

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 5)

Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalation	LC50/4 h	>2,000 mg/kg (rat) >2.34 mg/l (rat)

Acute Health Effects**Inhalation:** May cause respiratory irritation.**Skin:** Causes skin irritation, itchiness and reddening.**Eye:**

Causes serious eye irritation, stinging and reddening. Prolonged exposure or delayed treatment may cause permanent eye damage.

Ingestion: Harmful if swallowed. May cause irritation, reddening and burning sensation to mouth and throat.**Skin Corrosion / Irritation:** Causes skin irritation.**Serious Eye Damage / Irritation:** Causes serious eye damage.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:**

Prolonged exposure or delayed treatment may cause permanent eye damage. May cause liver, kidney and skin damage.

Existing Conditions Aggravated by Exposure: No information available**Additional toxicological information:**

The Australian Acceptable Daily Intake (ADI) for MCPA for a human is 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 1.1 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species.

The Australian Acceptable Daily Intake (ADI) for diflufenican for a human is 0.2 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 16.3 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Australian Pesticides and Veterinary Medicines Authority, 'Acceptable Daily Intakes for Agricultural and Veterinary Chemicals', August 2020).

12 Ecological Information**Ecotoxicity:**

Diflufenican:

LD50 > 2150 mg/kg (Bobwhite quail)

LD50 > 4000 mg/kg (Mallard duck)

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 6)

Aquatic toxicity:	
CAS: 29450-45-1 MCPA, 2- ethylhexyl ester	
EC50/48 h	0.29 mg/l (daphnia)
EC50/72 h	0.11 mg/l (skeletonema costatum)
LC50/96 h	117-232 mg/l (rainbow trout)
CAS: 83164-33-4 Diflufenican	
LC50/96 h	105 mg/l (carp)
	56-100 mg/l (rainbow trout)
LC50/48 h	>10 mg/l (daphnia)

Very toxic to aquatic life with long lasting effects.

Persistence and Degradability:

Product is biodegradable.

MCPA is biodegradable: Half-life in soil: <7 days.

Diflufenican is not easily biodegradable: Half-life in soil: 85.6-282 days, depending on soil type.

1-methyl-2-pyrrolidone is biodegradable.

Bioaccumulative Potential: Diflufenican bioconcentration factor: 1.596

Mobility in Soil: No information available

Other adverse effects: No information available

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number Not regulated

Proper Shipping Name Not regulated

Dangerous Goods Class Not regulated

Packing Group: Not regulated

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 29450-45-1	MCPA, 2- ethylhexyl ester
CAS: 872-50-4	N-methyl-2-pyrrolidone
CAS: 83164-33-4	Diflufenican

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 24.08.2020

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 24.08.2020

Revision: 24.08.2020

Product Name: RELYON DIFLU-MCPA SELECTIVE HERBICIDE

(Contd. of page 7)

Prepared by: MSDS.COM.AU Pty Ltd

www.msds.com.au

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Flammable Liquids 4: Flammable liquids – Category 4

Acute Toxicity (Oral) 4: Acute toxicity - oral – Category 4

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 2A: Serious eye damage/eye irritation – Category 2A

Toxic To Reproduction 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term (Chronic). Category 3

Data altered compared to the previous version:

Section 1: Details of Manufacturer or Importer, Emergency Phone Number, Section 4: Symptoms Section 5: Specific Hazards Arising from the Chemical, Section 7: Precautions for Safe Handling, Conditions for Safe Storage, Section 9: Flammability, Viscosity, Section 10: Hazardous Decomposition Products, Section 11: Acute Health Effects, Additional toxicological information, Section 14: UN Number, Proper Shipping Name, Dangerous Goods Class, Packing Group

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document “Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - May 2018”

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nutrien Ag Solutions makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.