

SAFETY DATA SHEET

NUFARM AMICIDE ADVANCE 700 HERBICIDE

NUL 1972

Infosafe No.: 3NUMC ISSUED Date : 20/01/2023 ISSUED by: NUFARM AUSTRALIA LIMITED.

Section 1 - Identification

Product Identifier NUFARM AMICIDE ADVANCE 700 HERBICIDE

Product Code 0052

Product Type Group 4 Herbicide

Company Name NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)

Address 103-105 Pipe Road Laverton North Victoria 3026 AUSTRALIA

Telephone/Fax Number Tel: +61 3 9282-1000 Fax: +61 3 9282-1001

Emergency Phone Number 1800 033 498 (24hr Australia)

Emergency Contact Name www.nufarm.com.au

E-mail Address SDSANZ@nufarm.com

Recommended use of the chemical and restrictions on use

A non-volatile product for the control of broadleaved weeds in fallow before direct drilling or sowing of cereals and pastures; and in cereal crops, pastures, sugar cane, and non-agricultural areas as per the Directions for Use table on the label. This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops,

This is a PHENOXY HERBICIDE that can cause severe damage to susceptible crops such as cotton, grapes, tomatoes, oilseed crops, bananas and ornamentals.

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Complies with the requirements of Special Provision AU01 and therefore exempted from being classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Classified as Dangerous Goods according to International Maritime Dangerous Goods Code (IMDG) and International Air Transport Association (IATA).

Acute toxicity: Category 4 - Oral Eye damage/irritation: Category 1 Sensitisation - skin: Category 1 Hazardous to the Aquatic Environment - Acute Hazard: Category 1

Signal Word (s) DANGER

Hazard Statement (s)

H302 Harmful if swallowed.H318 Causes serious eye damage.H317 May cause an allergic skin reaction.H400 Very toxic to aquatic life.

Pictogram (s)

Exclamation mark, Corrosion, Environment



Precautionary Statement – Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement – Response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

Precautionary Statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Section 3 - Composition and Information on Ingredients

Ingredients

| Name | CAS | Proportion |
|--|--------------|------------|
| 2,4-D present as dimethylamine and monomethylamine salts | 1233324-08-7 | - |
| Ingredients determined not to be hazardous | | Balance |

Section 4 - First Aid Measures

Inhalation

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin

Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.

Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.

First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Section 5 - Firefighting Measures

Suitable Extinguishing Media

Use appropriate fire extinguisher for surrounding environment.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes and gases including: toxic fumes of hydrogen chloride or phosgene.

Specific hazards arising from the chemical

This product is non combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn.

Hazchem Code

•3Z

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

Section 6 - Accidental Release Measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Environmental Precautions

Use earthen bunds or absorbent bunding to prevent spreading of spillage.

Prevent from entering drains, waterways or sewers.

This product is a herbicide and spills can damage crops, pastures and desirable vegetation.

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Do NOT spray in high winds. Do NOT contaminate dams, rivers or streams, or any other water bodies with pesticide or used containers.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight. Do not store near oxidisers. Do not store with seed, fertilisers or foodstuffs. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

Other Information

See label for detailed information on cleaning of spray equipment.

Equipment that has been used for this chemical should not be used for the application of other materials to sensitive plants, unless it has been well washed out with hot soapy water or 1% solution of ammonia, followed by several clear water rinses.

Do not use on or in situations where damage to susceptible crops or plants such as cotton, tobacco, tomatoes, flowers, vines, fruittrees or other susceptible crop plants may result from direct application or drift.

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

2,4-D TWA: 10 mg/m³ Note: Sen

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eighthour working day, for a five-day week.

'Sen' Notice: The substance may cause sensitization by skin contact or by inhalation.

Source: Safe Work Australia

Biological Monitoring No biological limits allocated.

Control Banding Not available

Engineering Controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye and Face Protection

Safety glasses with full face shield should be used. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material such as elbow-length PVC gloves. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Thermal Hazards

No further relevant information available.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Requirements Concerning Special Training

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

Section 9 - Physical and Chemical Properties

| Properties | Description | Properties | Description |
|--|-----------------------|---------------------------------|---|
| Form | Liquid | Appearance | Clear, brown liquid. |
| Colour | Brown | Odour | Strong fish like odour. |
| Melting Point | <0°C | Boiling Point | 100°C |
| Decomposition Temperature | Not available | Solubility in Water | Soluble |
| Specific Gravity | 1.24 | рН | 9 - 10 (1% solution) |
| Vapour Pressure | 2,4-D is non-volatile | Relative Vapour Density (Air=1) | Not available |
| Evaporation Rate | Not available | Odour Threshold | Not available |
| Viscosity | Not available | Volatile Component | 20% (water) Product may release dimethylamine and monomethylamine vapours. |
| Partition Coefficient: n- octanol/water (log value) | Not available | Density | Not available |
| Flash Point | Not available | Auto-Ignition Temperature | Not available |
| Flammable Limits - Lower | Not available | Flammable Limits - Upper | Not available |
| Explosion Properties | Not available | Oxidising Properties | Not available |
| Particle Characteristics | Not available | | |

Other Information

pKa is 2.73 for 2,4-D

Section 10 - Stability and Reactivity

Reactivity

Reacts with incompatible materials.

Chemical Stability

Stable under normal conditions of storage and handling.

Possibility of hazardous reactions

Reacts with incompatible materials.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Reaction of the concentrate or spray mix with acids will precipitate solid 2,4-D acid and largely de-activate the product and cause blockages in spray equipment.

The addition of a strong alkali such as caustic soda will cause release of dimethylamine and monomethylamine vapour.

Hazardous Decomposition Products

Under fire conditions this product may emit toxic and/or irritating fumes and gases including: toxic fumes of hydrogen chloride or phosgene.

Hazardous Polymerization

Hazardous polymerization is not possible.

Section 11 - Toxicological Information

Toxicology Information

Toxicity data for material given below.

Acute Toxicity - Oral

LD50 (rat): > 300 mg/kg - < 2000 mg/kg

Acute Toxicity - Dermal LD50 (rabbit): >2000 mg/kg

Acute Toxicity - Inhalation

LC50 (rat): >5.15 mg/l/4h (aerosol)

Ingestion

Harmful if swallowed. Ingestion of this product may cause irritation to the mouth, throat, oesophagus and stomach with symptoms of nausea, abdominal discomfort, vomiting and diarrhoea.

Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. May cause an allergic skin reaction.

Eye

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.

Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

May cause an allergic skin reaction.

Germ Cell Mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

Chlorophenoxy herbicides is listed as a Group 2B: Possibly carcinogenic to humans according to International Agency for Research on Cancer (IARC).

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT - Single Exposure

Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not expected to be an aspiration hazard.

Chronic Effects

Chronic Overexposure: Repeated absorption of relatively large amounts of 2,4-D presents a risk to the liver and kidneys.

Other Information

The Australian Acceptable Daily Intake (ADI) for 2,4-D for a human is 0.05 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 5 mg/kg/day, the level determined to show no effects during long term exposure for the mostsensitive indicators and the most sensitive species.

Ref: Australian Pesticides and Veterinary Medicines Authority (APVMA) December 2022.

Section 12 - Ecological Information

Ecotoxicity

Harmful to aquatic life.

Persistence and degradability Readily biodegradable.

Mobility

Rapid degradation in soil prevents significant downward movement under normal conditions.

Bioaccumulative Potential

Not available

Other Adverse Effects Not available

Sewage Treatment Not inhibitory in sewage system, 2,4-D is rapidly biodegraded.

Environmental Protection

Do not discharge this material into waterways, drains and sewers. Spray drift can cause damage, read the label for more information.

Acute Toxicity - Fish LC50 (rainbow trout): ~100 mg/l/96.

Acute Toxicity - Daphnia 2,4-D amines LC50: 184 mg/l/48h.

Acute Toxicity - Other Organisms

Birds: Not toxic to birds. LD50 (bobwhite quail): 500 mg/kg

Bees: Not toxic to bees. LD50: 94 μ g/bee.

Plants: ErC50 (Myriophyllum spicatum, 14 d): 0.27 mg/L

Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

Section 13 - Disposal Considerations

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

To minimise personal exposure, refer to Section 8 - Exposure Controls and Personal Protection.

Product Disposal

Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

DO NOT dispose of undiluted chemicals on site.

Container Disposal and Methods

Do not use this container for any other purpose.

drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and onfarm animal health chemical containers. If the label on your container carries the drumMuster symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.

Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.

If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal at an approved waste management facility.

If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations.

Triple or preferably pressure rinse inner bladder or containers before disposal. Add rinsings to the spray tank. DO NOT burn empty containers or product.

Section 14 - Transport Information

Transport Information

Road and Rail Transport (ADG Code):

This product complies with the requirements of Special Provision AU01 and is therefore exempted from being classified as

Dangerous Goods according to the ADG Code. Note: Special Provision AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs. Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Class/Division: 9 UN No: 3082 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains 2,4-D) Packing Group: III EMS: F-A, S-F Special Provisions: 274, 335, 969

Air Transport (ICAO/IATA): Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. Class/Division: 9 UN No: 3082 Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.(Contains 2,4-D) Packing Group: III Label: Miscellaneous Packaging Instructions (passenger & cargo): 964 Packaging Instructions (cargo only): 964 Special provisions: A97, A158, A197, A215

ADG U.N. Number None Allocated

ADG Proper Shipping Name None Allocated

ADG Transport Hazard Class None Allocated

Hazchem Code •3Z

Special Precautions for User Not available

IMDG Marine pollutant Yes

Transport in Bulk Not available

Section 15 - Regulatory Information

Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). Australia: WHS regulations (2011) - Schedule 11: classification not listed.

Poisons Schedule S6

Montreal Protocol Not listed

Stockholm Convention Not listed

Rotterdam Convention Not listed

International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

Agricultural and Veterinary Chemicals Act 1994

APVMA product number: 66167. This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA).

Basel Convention

Not listed

Section 16 - Any Other Relevant Information

Date of Preparation

SDS Revised: January 2023 Supersedes: December 2021

Version Number

2.0

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

Contact Person/Point

Normal hours: SDS coordinator : Phone +61 3 9282 1000 After hours: Shift supervisor : Phone 1800 033 498

User Codes

| User Title Label | User Codes |
|------------------|------------|
| Field 4 | Υ |

END OF SDS

 $\ensuremath{\mathbb{C}}$ Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.